

APPLIANCES CONDOS MARINA BAHIA GOLFITO



GE PROFILE REFRIGERATOR

SPECIFICATIONS

Overall Height 177.48 cm
Overall Width 90.60 cm
Overall Depth 74.45 cm
Weight 124.70 kg

- 4 Temperature Sensors
- Stainless Steel Handles
- Water Filter

DISPLAY

- Adjust Temperature in Cooler and Freezer
- Door Open Alarm
- Quick Ice
- Water and Ice Dispenser
- Led Light
- TurboCool
- Child Safe

COOLER

- •LED light on top
- •3 Tempered Glass Grills
- •1Drawer for Fruits/Legumes
- •1 Drawer for Fruits/Legumes with Humidity Control
- 4 Shelves in the Door

FREEZER

- LED Light on Top
- 2 Slide out Tempered Glass Grills
- ■1Fixed Grill
- •5 Shelves in the Door
- 2 Wire Baskets



GE PROFILE COOKTOP

SPECIFICATIONS

•Overall Height 5.50 cm

Overall Width 90.00 cm

Overall Depth 51.00 cm

Weight 11.88 kg

Measurement of 95 cm

Recessed Installation Type

-220V

Glasstouch Digital Control

Display LED

Child lock

Residual heat indicator

Automatic Preheating

Pause Function

• Timer up to 99min.

• Programmable Shutdown of up to 99min.

•9 Power Levels

Conserve Heat Function

• 5+3 Expandable Cooking Zones

- Right Zone: Ø 270/210/120 -2400/750/750 W

Rear Left Area: Ø 210/120 -2100/700 W

• Left Front Area: Ø 145-1200 W

- Central Rear Area: Ø 145 -1200 W

Central Front Area: Ø 180/120 -1700/700 W

-220V/60Hz/36A



GE PROFILE VENT HOOD

SPECIFICATIONS

Overall Height 94.00 cm

Overall Width 89.00 cm

Overall Depth 58.00 cm

• Weight 27:10 Kg

•Extraction capacity 800 m3/hr

Decorative

Touch control

•3 Speeds + boost

Power indicator

Washable aluminum filter

Activated carbon filter

Extractor and purifier

LED lighting

2 lighting levels

• Filter change alarm

Programmable auto-off

Re-circulation

■110v/60Hz



GE PROFILE WALL OVEN

SPECIFICATIONS

Cabinet	30"
 Overlap of oven at top of cutout 	1"
• Overlap of oven other side of edge of cutout	3/4"
Overlap of oven at bottom of cutout	1-1/4"
•Oven	
• Install depth	23-1/2"
Overall height with trim	28-5/8"
Overall width	29-3/4"

FEATURES AND BENEFITS

- True European Convection
- Anywhere control with remote notifications
- Remote temperature probe
- Self-clean with optional Steam Clean
- Never-scrub, heavy-duty smooth glide roller racks
- Never-scrub, heavy-duty racks
- Hidden backlit LCD control
- 10-pass hidden bake element
- -8-pass broil element



GE PROFILE MICROWAVE OVEN

SPECIFICATIONS

- Cabinet overlap requirements 30" 27"
- •Overlap of trim kit over top of cabinet 1" 1"
- Overlap of trim kit over bottom of cabinet 1-1/8" 1-1/8"
- •Overlap of trim kit over sides of cabinet 2-1/8" 5/8"

FEATURES AND BENEFITS

- 2.2 cu. ft. capacity 1100 watts (IEC-705 test procedure)
- Sensor cooking controls Automatically adjusts time and power
- Built-in trim kit Custom appearance and built-in convenience (available at additional cost)
- Weight and time defrost Simply enter the weight of the food, and the oven automatically sets the optimal defrosting time and power level or set your desired time for defrosting
- Extra-large 16.5" turntable Rotates food throughout the cycle and accommodates large cookware
- Instant on controls One-touch instant operation
- Control lockout Helps prevent accidental activation
- Add 30 seconds Add 30 seconds of microwave cooking time
- Kitchen timer Minute timer helps keep you on track



GE PROFILE DISHWASHER

SPECIFICATIONS

- Dishwasher
- 16 Services
- •60cm Wide
- Push Button Controls
- Stainless Steel Interior
- •360° Arm Washing System
- 3 Wash Levels
- Cleaning Sensor
- ■800 W Resistance
- 6 Wash Cycles: Standard I / Heavy / Auto (Smart Sense) /
 Energy Saver (Light and ECO) / Quick Cycle (1 hour) / Rinse Only
- Washing Options: Half load / Steam Prewash / Heat drying / Security lock / Sanitizing (Certified) / Roosl Temp. / Rinse agent indicator
- Delay Start
- End of Cycle Alarm
- Crusher
- LED Display
- Noise Level: 45 dBA
- Bottom Rack with Adjustable Fasteners / Complete Third Rack / Adjustable Top Rack
- ■120V/60Hzt



SAMSUNG WASHER

SPECIFICATIONS

 Overall Height 	984 mm
Overall Width	686 mm
Overall Depth	796 mm
 Washing Capacity 	91.0 kg
■ VRT Plus	
 LED panel display 	
 Washing capacity 	22.0 kg
Performance	
Cycle Time	45 min
Energy Efficiency A	
Child safe	
Delayed Term	
Drum Type Spiral+	
Internal Heater	
• DD Motor	
Dirt levels	5EA
Spin levels	5EA
 Temperature Level Number 	5EA
 Progress Indicator 	
-Self Clean+	
•Smart Care	
 Intelligent Control 	
-Spin Speed	A1200 rpm
-Steam	
•Super Speed	



SAMSUNG **DRYER**

SPECIFICATIONS

 Overall Height 	984 mm
Overall Width	686 mm
Overall Depth	800 mm
Drying Capacity	22.0 kg
 LED Panel Display 	
Dryer Type Gas	
Cycle Time	42 min
Interior Drum Light	
 Intelligent Control 	
■ Smart Care	
■ Reversible Door	
Child Safe	
Drying Rack	
 Filter Check Indicator 	
 Mixed Load Alarm 	
 Progress Indicator 	
•Steam	
Exhaust (Electric / Gas)	4 modes / 3 modes
Anti-Wrinkle	
Drying Level Number	5EA
 Temperature Level Number 	5EA
Time Level Number	5EA